MINSTER DISTRIBUTION

WIRE PRODUCTS, AGRICULTURAL AND BUILDING SUPPLIES

ALVELEY INDUSTRIAL ESTATE, ALVELEY, BRIDGNORTH, UNITED KINGDOM

SALES@MINSTERDISTRIBUTION.CO.UK 01746 780330

MINSTERDISTRIBUTION.CO.UK

CONTENTS

- 1. GALVANISED HEXAGONAL NETTING
- 2. STOCK FENCE
- 3. PREMIUM STOCK FENCE
- **4. PLAIN & COATED WIRE**
- **5.LIGHT WELDMESH PANELS**
- **6. LIGHT WELDMESH ROLLS**
- 7. SECURITY WIRE
- 8. SECURITY FENCE
- 9. CHAINLINK FENCE ROLLS
- 10. PALING FENCE
- 11. POTATO BAGS
- 12.TO 15.NAILS
- 16.SHEEP HURDLES
- 17. TO 18. WATER & FEED TROUGHS
- 19.**HAY BASKETS**
- 20.**GATES**
- 21.GALVANISED CORRUGATED/ONDULINE SHEETS
- 22.ROOFING ACCESSORIES
- 23.TIMBER
- 24.TIMBER ACCESSORIES
- 25.FENCING PANELS & ACCESORIES
- 26.WOODEN GATES
- 27.BRIDLE GATES
- 28.GATE FURNITURE
- 29.**TOOLS**

WHO WE ARE

MINSTER HAS BEEN ESTABLISHED FOR OVER 25 YEARS SUPPLYING WIRE PRODUCTS TO THE UK MARKET, WITH EXPERIENCE IN A WIDE NUMBER OF INDUSTRIES RANGING FROM SECURITY FENCE & AGRICULTURAL PRODUCTS TO BUILDING SUPPLIES. MINSTER HAS A WIDE RANGE OF SOLUTIONS FOR ALL APPLICATIONS.

OUR VISION

MINSTER DELIVERS HIGH QUALITY PRODUCTS THROUGH OUR DEDICATED TEAM OUT OF OUR DISTRIBUTION HUB IN ALVELEY, SHROPSHIRE. OUR MANAGEMENT AND STAFF WORK HARD TO ACHIEVE LONG-LASTING RELATIONSHIPS WITH ALL OUR CUSTOMERS AND SUPPLIERS.

OUR MISSION

CONSTANTLY WORKING ON SERVICE AND PRODUCT OFFERING, WE ARE ENTIRELY FOCUSED ON THE CUSTOMERS SATISFACTION THROUGH BOTH OUR PRODUCTS AND SERVICES PROVIDED.

OUR STRATEGY

- TO MAINTAIN AND IMPROVE ON CUSTOMER RELATIONSHIP THOUGH OUR SERVICE AND PRODUCT OFFERING.
- TO INCREASE AND INTRODUCE NEW PRODUCTS IN OUR WIRE, AGRICULTURE AND BUILDING PRODUCTS BASED ON THE CLOSE RELATIONSHIPS WITH OUR MANUFACTURERS AND SUPPLIERS.

A VAST RANGE OF OUR PRODUCTS ARE AVAILABLE FOR NEXT DAY DELIVERY. SEND YOUR ENQUIRIES TO SALES@MINSTERDISTRIBUTION.CO.UK OR CALL THE OFFICE ON 01746 780330.

GALVANISED HEXAGONAL NETTING



- MADE FROM PRE-GALVANISED WIRE
- JOINTS ARE SPOT WELDED TO FORM THE SQUARE MESH APERTURE.
- SUPPLIED AS AS A ROLL

AVAILIBLE IN 0.6MM 1.0MM 1.6MM IN GALVANISED SOME SIZES AVAILBLE IN PVC COATED

- PET CAGES / KENNELS
- SECURITY CAGES
- FRUIT CAGES AND FRAMES
- CLIMBING PLANT SUPPORT
- DOG FENCING
- LEAF PROTECTION FOR PONDS
- CONSTRUCTION USES

Hole Size	MM		1	3			1	9			2	25			3	51			3	8			5	0	
Roll Length	Meters	5	10	25	50	5	10	25	50	5	10	25	50	5	10	25	50	5	10	25	50	5	10	25	50
	600	√	✓	√	✓		√			V	√	√	✓			√	√								
	900	√	✓	✓	\		✓			√	✓	✓	✓	√	✓	✓	✓								
Height in MM	1050																✓								
Theight in Mill	1200	✓	✓	√	\				✓	✓	✓	✓	\				✓								
	1500											✓	✓											>	✓
	1800			√								V	✓				✓				√			√	√





STOCK FENCE




- SUPPLIED IN 25, 50, 100, 300 & 500M LENGTHS
- IDEAL FOR CREATING POST AND WIRE FENCING
- GALVANISED WIRE

Roll Leng	gth Meters	25	50	100	300	500
	L5-60-15			√		
	C8-80-15	√	✓	✓		
	C8-80-22		√	√		
SPEC	HT8-80-15	√	✓	✓	✓	✓
SPEC	HT8-80-22	V	√	√	V	✓
	HT8-80-30	√	✓	>	>	✓
	L10-120-15		V			
	HT13-190-15		✓	✓		

VICEBITE FENCE STAY BRACKET



- CATTLE FENCING
- PIGS
- SHEEP
- FOREST BOUNDARIES
- DOG
- DEER
- BADGER
- SECURITY



PREMIUM STOCK FENCE



TORNADO

WE ALSO STOCK A WIDE SELECTION OF FENCING FROM THE TORNADO RANGE. THE RANGE OF WIRE FENCING FROM TORNADO IS SUITABLE FOR:

- BADGER
- DEER
- HORSE
- OTTER
- DOG
- RABBIT
- GAME/BOAR

HT8-80- RANGE





PLAIN & COATED WIRE



PLAIN WIRE

- GALVANISED STEEL
- IPROVIDED AS A COIL
- RESISTANT TO CORROSION AND RUST

		Hig	h Ten	sile				Mild	Steel			
Wire Diam	ater MM	2.5	3.15	4.0	1	1.25	1.6	2.0	2.5	3.15	4.0	5.0
	0.5				√	✓	√	√	✓			
Weight in KG	1						>					
Weight in Ko	5		√				√	√	√	√	√	
	10		✓				✓	√	✓	√		

AVAILABLE IN 2.0MM, 2.5MM, 3.0MM, 4.0MM, 5.0MM IN GALVANISED



COATED WIRE

- GALVANISED STEEL
- IPROVIDED AS A COIL
- RESISTANT TO CORROSION AND RUST

				PVC (Coated		
Wire Diar	nater MM	1	1.3	1.4/2	1.7/2. 5	2.24/ 3.15	3.5
	25					√	
	30	✓					
Roll Length M	50		√				
	52				✓	√	
	76				√	√	
	0.5			√			
Weight in KG	5					√	
	25						√

AVAILABLE IN 2.0MM, 2.5MM, 3.0MM, 4.0MM, 5.0MM IN GALVANISED



LIGHT WELDMESH PANELS



- MADE FROM PRE-GALVANISED WIRE
- JOINTS ARE SPOT WELDED TO FORM THE SQUARE MESH APERTURE.
- SUPPLIED AS FLAT MESH SHEETS ARE CAN BE USED FOR ENDLESS APPLICATIONS

AVAILABLE IN 2.0MM, 2.5MM, 3.0MM, 4.0MM, 5.0MM IN GALVANISED

- PET CAGES / KENNELS
- SECURITY CAGES
- FRUIT CAGES AND FRAMES
- CLIMBING PLANT SUPPORT
- DOG FENCING
- LEAF PROTECTION FOR PONDS
- CONSTRUCTION USES

Hole Size M	IM		25 x 25			38 x 38			50 x 25			50 x 50)		75 x 13			75 x 25			75 x 75			100 x 100)		150 x 75	;
Sheet length	ММ	1800	2440	3600	1800	2440	3600	1800	2440	3600	1800	2440	3600	1800	2440	3600	1800	2440	3600	1800	2440	3600	1800	2440	3600	1800	2440	3600
	600																			√								
Sheet Width MM	900							√			✓						✓			✓						√		
	1220	√	✓			✓			>		✓	✓						✓			✓			✓			>	
	1800			✓									✓			✓			✓			✓						

AVAILABLE IN 2.0MM, 2.5MM, 3.0MM, 4.0MM, 5.0MM IN GALVANISED





LIGHT WELDMESH ROLLS



- MADE FROM PRE-GALVANISED WIRE
- JOINTS ARE SPOT WELDED TO FORM THE SQUARE MESH APERTURE.
- SUPPLIED AS AS A ROLL


SOME SIZES AVAILBLE IN PVC COATED

- PET CAGES / KENNELS
- SECURITY CAGES
- FRUIT CAGES AND FRAMES
- CLIMBING PLANT SUPPORT
- DOG FENCING
- LEAF PROTECTION FOR PONDS
- CONSTRUCTION USES
- POULTRY

Hole Size	ММ		6:	k 6			13 :	k 13			1/2	x 25			25 :	c 25			50	¢ 50	
Roll Length	Meters	6	10	15	30	6	10	15	30	6	10	15	30	6	10	15	30	6	10	15	30
	600					✓			√					√			√				✓
Height in MM	900	√			✓	√	✓	√	✓	✓	✓		✓	✓	√		✓	√			√
	1200	✓			✓	√			✓	✓			√	√			✓	✓			√







SECURITY WIRE



BARBED WIRE

- TWIN STRAND BARBED WIRE
- WITH INTERLOCKING 4 POINT BARBS
- GALVANISED

Wire Diamite	r MM	2.5 MS	1.6 HT	2.0 HT
Roll Length	15	✓		
Meters	200	✓	✓	✓

AVAILABLE IN 15M AND 200M LENGTHS



RAZOR WIRE

- GALVANISED STEEL
- STAINLESS STEEL BLADE
- SUITABLE FOR ALL TYPES OF SECURITY FENCING
- WRAPPED IN CARDBOARD FOR SAFE TRANSPORTATION

Wire Diamite	r MM	450	710	955	Flat Razor
Roll Length	10	✓	✓	✓	
Meters	50				✓

AVAILABLE IN 10M AND 50M LENGTHS

BARBED WIRE ANGLE BRACKETS 400MM

- HEAVY DUTY GALVANISED STEEL
- DESIGNED TO FIT RAZOR/BARBED WIRE TO A FANCE OR WALL
- HOLES ARE DESIGNED TO BE USED WITH ANCHOR BOLTS AND COACH SCREWS

AVAILABLE IN 2.0MM, 2.5MM, 3.0MM, 4.0MM, 5.0MM IN GALVANISED

SECURITY FENCE

GALVANISED AND PVC COATED AVAILABLE



GALVANISED PALING SECURITY FENCE


METAL PALING FENCING IS ONE OF THE MOST SECURE FENCES THAT YOU CAN HAVE. IT IS CONSTRUCTED OF PRESSED STEEL PALINGS WHICH ARE FIXED TO CROSS-RAILS WITH SECURITY BOLTS (DESIGNED TO PREVENT REMOVAL). IT CAN HAVE MATCHING GATES AND IS AVAILABLE IN MANY HEIGHTS.THE FENCE CAN BE COLOUR COATED PRIOR TO ERECTION TO GIVE IT A VERY ATTRACTIVE APPEARANCE.

V-MESH SECURITY FENCE

WHEN IT COMES TO SECURITY FENCING 'V' MESH IS ONE OF THE MOST COMPREHENSIVE, COST EFFECTIVE SOLUTIONS. PROVIDES EXCELLENT SECURITY, LOOKS AND VALUE FOR MONEY WITHOUT COMPROMISING ON ANY OF THE FEATURES YOU WOULD NEED FROM A TOP OF THE LINE SECURITY FENCE.AVAILABLE IN VARIOUS STANDARD RAL COLOURS TO ENHANCE THE OVERALL APPEARANCE OF YOUR SECURITY FENCING SYSTEM. A POWDER COATED FINISH INCREASES RESILIENCE AGAINST WEATHERING AND VANDALISM.

Hole Size I	nches	2 x 2		3 :	x 1	3 :	x 3	4 x 4		
Roll Length	Meters	12.5	25	12.5	25	12.5	25	12.5	25	
	900	\checkmark	✓			\checkmark	√	\checkmark	√	
	1200	√	√		√	✓	√	✓	√	
Height in MM	1500	✓	✓							
Height in MiM	1800	✓	✓		✓					
	2100		✓							
	2400		✓	√						

Galvanised or Painted Angle Iron Chainlink Post



Galvanised Angle Cleats
50 x 50 x 6MM
38 x 38 x 6MM

Galvanised Eye Bolts	
200 x 10MM	
240 x 10MM	
260 x 10MM	
300 x 10MM	
Other Sizes Available	

Galvanised Water Bar
25MM, 30MM, 40MM, 50MM
6MM Thick & 3.66M Lengths

Galvanised Stretcher Bar								
900MM								
1250MM								
1410MM								
1850MM								

CHAINLINK FENCE ROLLS

GALVANISED AND PVC COATED AVAILABLE




- MADE TO A VERY HIGH STANDARD.
- THE CHAIN-LINK IS GREEN PVC COATED
- FULLY GALVANIZED CORE WIRE UNDERNEATH THE PLASTIC COATING
- LONG-LASTING
- AN ATTRACTIVE, INCONSPICUOUS FENCE.

Hole Size N	50mm					
Roll Length M	10	12.5	25			
	900	✓		\		
	1200	>		>		
	1500			>		
Height in MM	1800	>	\	>		
	2400		>	>		
	2700		√			
	3000		✓			

AVAILIBLE IN 2.0MM 2.5MM 3.0MM IN GALVANISED AVAILBLE IN 1.7/2.5MM 1.9/3.0MM 2.24/3.15MM PVC COATED HEAVIER GAUGE AVAILABLE

- GARDEN FENCING
- AMENITY FENCING
- SPORTS AREA FENCING
- PERIMETER FENCING

Galvanised or Painted Angle Iron Chainlink Post




Galvanised Angle Cleats
50 x 50 x 6MM
38 x 38 x 6MM

Galvanised Eye Bolts								
200 x 10MM								
240 x 10MM								
260 x 10MM								
300 x 10MM								
Other Sizes Available								

Galvanised Water Bar	_
25MM, 30MM, 40MM, 50MM	_
6MM Thick & 3.66M Lengths	

Galvanised Stretcher Bar									
900MM									
1250MM									
1410MM									
1850MM									

PALING FENCE



- 1.1M HIGH CLEFT CHESTNUT FENCING
- 2 OR 3 ROWS OF BEST GALVANISED 2MM WIRE.
- 4 STRANDS PER ROW FOR EXTRA STRENGTH.
- ROLL IS 9.1M LONG

Material		0:	ak	Pi	ne	Cleft			
Line Wires		2	3	2	3	2	3		
	900					√	✓		
Height MM	1050		✓		√	√	√		
	1200					√	√		
	1800		√		√	V	√		

- THE DEMARCATION OF A BOUNDARY. • HIGHWAY FENCING.
- FENCING FOR LIVESTOCK.
- PERMANENT OR TEMPORARY FENCING ON A SITE.
- AN EMERGENCY CORDON.
- RETAINER FOR EROSION PREVENTION (SOIL AND BEACHES)
- FENCING FOR EVENTS CROWD CONTROL.

AVAILABLE IN 2.0MM, 2.5MM, 3.0MM, 4.0MM, 5.0MM IN GALVANISED







POTATO BAG TIES





Potato E	Bag Ties
Size	QTY
150mm	1000
225mm	1000
250mm	1000
300mm	1000
600mm	1000
700mm	1000
800mm	1000
900mm	1000
1000mm	1000

WIRE TIES ARE IDEAL FOR SEALING HESSIAN SACKS AND HEAVY DUTY POLYTHENE BAGS OR TUBING. MANUFACTURED FROM PVC COATED 17 GAUGE THICKNESS GALVANISED STEEL TO ENSURE A RUST FREE CLOSURE. THE SMOOTH GREEN PLASTIC FINISH ENSURES THE MATERIAL BEING TIED IS NOT SCRATCHED OR DAMAGED.

A PACK OF 1000 METAL WIRE BAG TIES. LENGTH: 9 INCHES.

TWISTING TOOL FOR WIRE TIES



THIS TOOL IS AN ESSENTIAL FOR TIGHTENING WIRE TIES. THE SIMPLE MECHANISM TWISTS AND TIGHTENS PRE-FORMED LOOPED WIRE TIES AND THE RUBBER HAND GRIP HAS ERGONOMIC GROOVES FOR A FIRM HOLD.

DESIGNED TO QUICKLY SECURE LOOPED WIRE TIES JUST FEED THE TWO LOOPS OVER THE HOOK ON THE TOOL THEN PULL AND TWIST THE HANDLE TO SECURE THE WIRE. LENGTH OF TWISTING TOOL FOR WIRE TIES IS 300 MM WHEN CLOSED, 430 MM WHEN EXTENDED.





ROUNDWIRE

Fini	sh	Bright								Galvanised																	
Dia N	MM	1.8	2	2.36	2.65	3.35	3.75	4	4.5	5	5.6	6	6.7	8	1.8	2	2.36	2.65	3.35	3.75	4	4.5	5	5.6	6	6.7	8
	25		✓												✓												
	30			√												✓	√										
	40			√	√												√	✓									
	50				√												√	√	√								
	65				√	√												√	√								
	75					✓	✓												√	✓							
Length MM	90							√													✓						
	100							√	√												✓	√					
	120																										
	125										✓												✓	✓			
	150											✓													√		
	180																									✓	
	200													√													√

OVAL

Fin	ish	Bright	Galvanised		
Dia	MM	1.80	1.8		
	25	\checkmark			
	30	✓	✓		
	40	√	√		
	50	√	√		
	65	√			
	75	√			
Length MM	90				
	100	√	√		
	120				
	125	√			
	150	√			
	180				
	200				

OUR RANGE OF NAILS CAN BE SUPPLIED PREPACKED IN SIZES FROM 250G POLY BAGS TO 20KG PLASTIC TUBS. ALL PREPACKED NAILS COME WITH STANDARD LABEL SHOWING SIZE AND WEIGHT.

PERSONALISED LABELS TO CUSTOMERS OWN DESIGN CAN BE SUPPLIED





PANEL PINS

Fin	ish	Bright									
Dia	MM	1.40	1.60	2.00	2.65						
	15	√									
	20		✓								
	25		✓								
Length MM	30		✓								
	40		✓								
	50			√							
	75				√						

STAPLES

Fin	ish	Galvanised										
Dia	MM	1.6	1.6 2.0 2.65 3.55 4.00									
	15	\checkmark										
	20		✓									
Length MM	25			√								
Lengthivilvi	30				✓							
	40					✓						
	50						√					

LOST HEAD

Fin	ish			Bright	Galvanised				
Dia MM		2.36	2.65	3.35	3.75	4.50	2.36	2.65	3.35
	40	\checkmark					\checkmark		
	50		√					√	
Longth NANA	60			✓					
Length MM	65			√					√
	75				√				
	100					√			

SQUARE TWIST

Fin	ish	Galvanised	Stainless
Dia	MM	3.75	3.75
Length MM	30	\checkmark	√
	40	√	√

OUR RANGE OF NAILS CAN BE SUPPLIED PREPACKED IN SIZES FROM 250G POLY BAGS TO 20KG PLASTIC TUBS. ALL PREPACKED NAILS COME WITH STANDARD LABEL SHOWING SIZE AND WEIGHT.





Fin	ish	Bright Galvanised Sheradised														
Dia	MM	2.00	2.36	2.65	3.35	3.75	5.00	5.60	3.35	3.75	2.0	2.36	2.65	3.35	3.75	5.0
	20	\checkmark									✓					
	25	√									√					
	30		√									√				
	40		√	✓									✓			
Longth MANA	50			✓	✓				√				✓	✓		
Length MM	65				√				√					√		
	75					√				√				√	√	
	90					√										
	100						✓									√
	125							√								

VENEER PINS

Fin	ish	Bright			
Dia	Dia MM				
	13	√			
	15	√			
Length MM	20	√			
	25	√			
	30	√			

NAIL GUN

Fin	ish	Galvanised	d Gun Nails	Galvanised Paslode Nails			
Dia	MM	2.80	3.10	2.80	3.10		
	51	√		√			
Length MM	63	√	√	√	√		
Length Mivi	76		√		√		
	90		√		√		

OUR RANGE OF NAILS CAN BE SUPPLIED PREPACKED IN SIZES FROM 250G POLY BAGS TO 20KG PLASTIC TUBS. ALL PREPACKED NAILS COME WITH STANDARD LABEL SHOWING SIZE AND WEIGHT.

PERSONALISED LABELS TO CUSTOMERS OWN DESIGN CAN BE SUPPLIED

STAINLESS ARS

Dia I	MM	1.8	2.65	3.35	3.75	4.50	5.60	6.00
	20			✓				
	25			✓				
	30		>		>			
	31	√						
	32		>					
	35			>				
	38		✓	>				
Length MM	40		√	>				
Lengthivilvi	50		√	✓				
	60			√				
	65		√	√				
	75			√	√			
	90				>			
	100				√	√		
	125						>	
	150							√

MINSTER DISTRIBUTION



CLOUT

Fin	ish	Galvanised								
Dia	MM	2.65	3.35	3.75	4.50					
	20	√								
	25	√								
	30	√	✓							
Length MM	40	√	✓							
Length Wilvi	50	√	✓							
	65	√	✓							
	75			✓						
	100				✓					

ELH CLOUT

Fin	ish	Galvanised
Dia	MM	3.00
	8	√
	10	3.00
	13	
	15	✓
Length MM	20	_
	25	√
	30	√
	40	√
	50	✓

OUR RANGE OF NAILS CAN BE SUPPLIED PREPACKED IN SIZES FROM 250G POLY BAGS TO 20KG PLASTIC TUBS. ALL PREPACKED NAILS COME WITH STANDARD LABEL SHOWING SIZE AND WEIGHT.

PERSONALISED LABELS TO CUSTOMERS OWN DESIGN CAN BE SUPPLIED

WE OFFER TIMBER STRUCTUAL SCREWS ON REQUEST

SHEEP HURDLES






OUR HURDLES ARE AVAILABLE IN 1220MM, 1525MM & 1830MM LENGTHS.

THEY ARE ALL 7 BAR

DROP PIN




INTERLOCKING





WATER & FEED TROUGHS





FEATURE A ROLLED TOP FOR ADDED STRENGTH AND STABILITY. THE DRAIN HAS BEEN PRE-DRILLED AND A RUBBER BUNG IS PROVIDED AS STANDARD. AN IDEAL SOLUTION TO HELP MAINTAIN A FRESH SUPPLY OF WATER TO YOUR LIVESTOCK IN THE FIELD AND DURING HOUSING. THESE METAL TROUGHS CAN BE USED DECOARTIVLEY TO PLANT FLOWERS IN YOUR GARDEN. ADDING A UNIQUE FEATURE TO YOUR GARDEN. PLUS, VERY EASY TO MAINTAIN!

CATTLE WATER TROUGH FROM 900MM (L) X 457MM (D) TO 2400MM X 457MM LARGE CAPACITY WATER TROUGH 3048MM (L) X 1220MM (W) X 610MM(D) SHEEP WATER TROUGH 1200MM (L) X 457 (W) X 267 (D) TO 1800MM X 457MM X 267MM








MINSTER DISTRIBUTION

WATER & FEED TROUGHS





FEATURE A ROLLED TOP FOR ADDED STRENGTH AND STABILITY. THE DRAIN HAS BEEN PRE-DRILLED AND A RUBBER BUNG IS PROVIDED AS STANDARD. AN IDEAL SOLUTION TO HELP MAINTAIN A FRESH SUPPLY OF WATER TO YOUR LIVESTOCK IN THE FIELD AND DURING HOUSING. THESE METAL TROUGHS CAN BE USED DECOARTIVLEY TO PLANT FLOWERS IN YOUR GARDEN.

ADDING A UNIQUE FEATURE TO YOUR GARDEN. PLUS, VERY EASY TO MAINTAIN!

A105

DRINKER SUITABLE FOR ALL LIVESTOCK.
OUR BEST SELLING MAINS PRESSURE
TROUGH. HEAVY GAUGE STEEL,
GALVANISED AFTER MANUFACTURE.
FINISHED WITH NO SHARP EDGES OR
CORNERS TO PROTECT YOUR ANIMALS.
FITTED WITH BS1212/PT2 MAINS
PRESSURE BALL VALVE AS STANDARD.



A108

DRINKER SUITABLE FOR ALL ANIMALS.
CAN BE USED IN TWO PENS USING ONE
WATER SUPPLY.HEAVY GAUGE STEEL,
GALVANISED AFTER MANUFACTURE.
FINISHED WITH NO SHARP EDGES OR
CORNERS TO PROTECT YOUR ANIMALS.
FITTED WITH BS1212/PT2 MAINS
PRESSURE BALL VALVE AS STANDARD.



DESIGNS MAY VARY

JFC MICRO DRINKER

THE MICRO DRINKER FROM JFC IS
DESIGNED WITH A DOUBLE WALL FOR
EXTRA DURABILITY AND STRENGTH, AND
ROUND EDGES FOR ULTIMATE ANIMAL
SAFETY. A FANTASTIC WAY TO ENSURE
YOUR ANIMAL HAS FRESH CLEAN WATER
EVERY TIME AND IS ALWAYS PROVIDED.





HAY BASKETS





QUALITY HAY BASKET FEEDERS

AVAILABLE IN MANY STYLES, INCLUDING SINGLE AND DOUBLE SIDED OPTIONS

IT IS LIGHTWEIGHT AND EASILY MOVED. CAN BE USED FOR BOTH FEEDING INDOORS AND OUT AND SUITABLE FOR USE WITH SHEEP OR CALVES. THE HAY BASKET FEEDERS ARE CONSTRUCTED FROM MESH AND GALVANISED FOR ANTI CORROSION PROTECTION.







MINSTER DISTRIBUTION

GATES



THE 7 BAR FIELD GATE IS QUICKLY BECOMING THE BEST SELLING FIELD GATE WITHIN THE RANGE AND IS NOW AVAILABLE FROM 610MM LONG TO 4880MM LONG.

THE 5 BAR CATTLE YARD GATE 7 BAR STANDARD FIELD GATE HALF MESH FIELD GATE FULLY MESH DEER GATE

Leng	th M	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.1	3.3	3.6	3.9	4.2	4.5
Do.	5	✓	✓	\	✓	✓	✓	>	✓	✓	\	✓	✓	✓	✓
Bar	7	✓	✓	✓	✓	✓	✓	✓	✓						

- 1143MM HIGH
- BOX SECTION RHS BRACING FOR IMPROVED STRENGTH
- TOP AND BOTTOM RAILS
- INTERMEDIATE RAILS
- SPRING LOADED SLIDING BOLT FASTENING
- 50MM X 50MM SHS SLEEVED HANGING STILE



AVAILABLE FROM STOCK IN A FULL RANGE OF SIZES
BETWEEN 610MM AND 4880MM
BESPOKE SIZES AVAILABLE AT EXTRA COST



GALVANISED CORRUGATED/ONDULINE ROOFING SHEETS



GCORRUGATED ONDULINE ROOFING SHEET BLACK

2000MM X 950MM



GCORRUGATED ONDULINE ROOFING SHEET GREEN

2000MM X 950MM



AVAILABLE IN FLAT AND CLEAR SHEETS

CORRUGATED GALVANISED ROOFING SHEET
AVAILABLE IN FLAT AND CLEAR SHEETS

5FT X 1M UP TO 12FT X 1M






AVAILABLE IN BLACK AND GREEN



ROOFING ACCESSORIES




BOXED CAVITY WALL TIES

STAINLESS STEEL WALL TILES

PLASTIC INSULATION DISCS



AVAILABLE IN 2 STYLES - EN2 & EN4 SIZES - 200MM TO 250MM PACKS OF 50 TO 250



AVAILABLE IN BUTTERFLY & DOUBLE TRIANGLE BUTTERFLY STOCKED IN 225MM & 200MM DOUBLE TRIANGLE IN 225MM



AVAILABLE IN TUBES OF 50 & BAGS OF 250 75MM (3")

TIMBER



AVAILABLE IN THE FOLLOWING OPTIONS

GATE POSTS

2.1M X 125MM X 125MM 4WW 2.1M X 150MM X 150MM 4WW 2.1M X 175MM X 175MM 4WW 2.4M X 125MM X 125MM 4WW 2.4M X 150MM X 150MM 4WW 2.4M X 175MM X 175MM 4WW 2.4M X 200MM X 200MM 4WW

SAWN POSTS

1.8M/2.4M X 75MM X 75MM 1.8M/2.4M X 100MM 100MM 1.8M X 125MM X 75MM 1.8M X 150MM X 75MM 2.1M X 125MM X 75MM 2.1M X 150MM X 75MM 2.4M X 150MM X 75MM

POINTED POSTS

1.65M X 75/100MM 1.8M X 75/100MM 2.1M X 75/100MM 2.4M X 75/100MM 2.7M X 75/100MM 3.0M X 75/100MM

POINTED STRAINERS

2.1M X 100/125MM 2.1M X 125/150MM 2.1M X 150/175MM 2.4M X 100/125MM 2.4M X 125/150MM 2.4M X 150/175MM 2.4M X 175/200MM 3.0M X 100/125MM 3.0M X 100/125MM 3.0M X 125/150MM

TREATED SLEEPERS

2.4M X 200MM X 100MM SOFTWOOD SLEEPER

SAWN RAILS

3.6M X 87MM X 38MM 3.6M X 87MM X 38MM

3.6M X 100MM MACHINED ½ RD RAIL

GRAVEL BOARDS

3.6M X 150MM X 22MM 3.6M X 150MM X 47MM 1.8M / 2.4M/ 3.0M/ 4.5M X 150MM X 22MM

TIMBER ACCESSORIES



GALVANUSED TIMBER TO BRICK JOIST HANGERS

AVAILABLE IN MANY SIZES: 100MM (L) X 38MM (W) TO 250MM X 150MM



GALVANISED TIMBER TO TIMBER JOIST HANGERS

AVAILABLE IN MANY SIZES AND STYLES: 38MM (W) TO 150MM (W)

A270, V81/450



GALVANISED MINI HANGERS

AVAILABLE IN 2 SIZES: 38MM (W) TO 50MM



FENCING PANELS & ACCESSORIES





FENCE PANELS MADE BY HAND FROM SUSTAINABLY SOURCED TIMBER

ALL COMPONENTS HAVE BEEN GREEN PRESSURE TREATED BEFORE

ASSEMBLY TO IMPROVE LONGEVITY OF THE TIMBER STRONG AND STURDY WITH SUPPORTING BACKING RAILS MEASURING 75X32MM EACH,

YET LIGHTWEIGHT ENOUGH FOR EASY INSTALLATION TO PRODUCE AN ATTRACTIVE, LONG-LASTING GARDEN FENCE







MANY ACCESSORIES AVAILABLE INCLUDING:

- POST SPIKES
- BOLT DOWN SUPPORTS
- FENCE PANEL CLIPS
- SECURITY PANEL CLIPS
- GRAVEL BOARDS
- CONCRETE POSTS

WOODEN GATES



WE HAVE 5, 6 & 7 BAR OPTIONS AVAILABLE FOR ORDER INCLUDING ALL FIXTURES AND FITTINGS

SOFT WOOD AND HARD WOOD OPTIONS ALSO AVAILABLE





BRIDLE & KISSING GATES



BRIDLE

AVAILABLE IN TIMBER OR GALVANISED STEEL, ALL OUR BRIDLE GATES ARE SELF-CLOSING BY MEANS OF AN OFFSET HINGER ARRANGEMENT FOR GREATER RELIABILITY WITH THE ADDED BENEFIT OF BEING VIRTUALLY MAINTENANCE FREE.

SUPPLIED IN EITHER 1 WAY OR 2 WAY OPENING, A STOCKPROOF HANDLE CAN BE SUPPLIED FOR ADDITIONAL SECURITY ON THE 2 WAY CLOSING GATES WHERE STOCK IS SITUATED ON BOTH SIDES OF THE GATE.

KISSING GATE

THE KISSING GATE IS USED IN SITUATION WHERE A GATE IS NOT A SUITABLE SOLUTION. IF THERE ARE STOCK RELATED ISSUES THE KISSING GATE WOULD BE A GOOD ALTERNATIVE.

ALL OUR KISSING GATES CAN EITHER BE GALVANISED FINISHED OR GALVANISED THEN POWDER COATED GREEN.

VARIOUS OPTIONS AVAILABLE BY CONTACTING US






GATE FURNITURE



STANDARD HANGING POST-BARRIER GATE-114.3MM X 2000MM AUTO/SLOTTED SLAM POST

WOODEN GATE HANGING ACCESSORIES





TOOLS



WE ALSO STOCK A WIDE SELECTION OF FENCING TOOLS. FROM CUTTING TOOLS AND TENSIONING TOOLS, TO STAPLE GUNS, WE HAVE YOU COVERED

STRAINING/TENSION TOOLS



WIRE JOINING TOOLS



STAPLE GUNS



WIRE CUTTING TOOLS



MINSTER DISTRIBUTION

SALES@MINSTERDISTRIBUTION.CO.UK





ALVELEY INDUSTRIAL ESTATE,
ALVELEY,
BRIDGNORTH,
UNITED KINGDOM